Claims

Wa	3	د
., .	4	

5

6

7

8

9

10

1

A method for forming water-soluble glass fibres, the method comprising providing a composition suitable for producing a water-soluble glass and heating said composition above the melting point of said glass to form a molten glass, cooling at least a portion of said molten glass to a preselected working temperature and then processing said molten glass having said working temperature into flibres.

11 12

13

2. A method as claimed in Claim 1 wherein said portion of said molten glass is cooled slowly to 14 said working temperature. 15

16

A method as claimed in either one of Claims 1 and 2 wherein said working temperature is 50-300°C above the Tq of the glass.

19 20 21

22

23

24

A method as claimed in either one of Claims 1 and 4. wherein said working temperature is at least 200°C below the temperature to which the glass is initially heated.

25 26

A method as claimed in any one of Claims 1 to 4 5. wherein glass wool is formed.

27 28

29 6. A method as claimed in any one of Claims 1 to 5 30 wherein phosphorous pentoxide is used as the glass 31 former.

32

A method as claimed in any one of Claim 6 wherein 33 7. 34 boron containing compounds are used as glass 35 modifiers.

36

37 A method as claimed in Claim 7 wherein B_2O_3 is used 8. 38 as a glass modifier at a mole percentage of 15% or

l less.

3 4 9.

A method as claimed in any one of Claims 1 to 8 wherein said glass is a silver-ion releasing glass.

5 6

A method as claimed in Claim 9 wherein silver orthophosphate is added during manufacture of the glass as a source of silver ions.

10

11

add)